



#### HATKO RECYCLED RUBBER NOISE BARRIERS

#### Mr. Nejan HATKO

General Manager

Hosted by



innovative noise control

#### HATKO Group Companies





#### HATKO Group Companies







#### **Global Challenges for Next Decades**




- Natural resources of the planet are fast depleting
- 🗣 Sustainability
- Recycle , Upcycle, Downcycle










#### Source: UN World Urbanization Prospects









#### Source: UN World Urbanization Prospects





#### **Cause and Effect – Noise Pollution**



In the EU, noise pollution affects one in five citizens and leads to **12,000 premature deaths** every year.








#### Cause and Effect – Highway Noise



One of the most important sources of noise is traffic noise.





#### Cause and Effect – Tyres



Majority of the highway noise is caused by the contact of the tyres with the road.

Hosted by





#### Cause and Effect – Road Debris











Discarded tyres jeopardizing road safety





## Billions filling landfills

- Causing health threatening noise levels
- Jeopardizing road security





Hatko Sound Barriers
















SUSTAINABLE | SMA





## **EPD** Report

#### ASECAP DAYS Celebrating YEARS 500 OF Successful TOLI ROAD PROJECTS

## One of the lowest carbon emissions in the industry

Primary Material Production	kg CO₂e / tonnes	
Concrete	131,76	
Metals	3.975,82	
Bricks	241,76	
Glass	1.402,77	
Metal: aluminium cans and foil (excl. forming)	9.122,64	

\* The Materials are made from virgin stock kg CO<sub>2</sub>e per tonnes







#### HATKO Solar Panels



- 100% renewable electrical energy
- 550 tons of CO<sub>2</sub> emission eliminated annually
- Equivalent to approx.30,000 mature trees






#### **Project Planning**

C/





#### Installation









#### **End of Project Report**



> 35.0 dB > 40.0 dB > 45.0 dB > 50.0 dB > 55.0 dB > 60.0 dB	NATIONAL AND	
> 65.0 dB > 70.0 dB > 75.0 dB > 80.0 dB > 85.0 dB		
> 35.0 dB > 40.0 dB > 45.0 dB > 50.0 dB		
> 55.0 dB > 60.0 dB > 65.0 dB > 70.0 dB > 75.0 dB > 80.0 dB > 85.0 dB		



	Before Hatko Sound Barriers				Sound s Effect
Day (dBA)	Night (dBA)	Day (dBA)	Night (dBA)	Day (dBA)	Night (dBA)
64,2	61,1	56,6	53	7,6	8,1
66,5	60,5	58,6	53,3	7,9	7,2



#### Maintenance-free and climate resistant (Hot/Cold, Stone Impact, Flexibility, ETC.)

Hosted by

**ICA** 





#### A New Aesthetic Approach Using Synthetic Turf










## Fully Customizable



#### Custom color and logo applications









































GAZIANTEP MUNICIPALITY BRIDGE NOISE BARRIER





























# THANK YOU

Mr. Nejan HATKO nejan.hatko@hatkosoundbarrier.com

